

Fellowship, Department of Science and Technology, India. The authors thank S Raghuvver for help with the manuscript preparation; and Harish Ravi and Mangesh Bhattarai for helpful discussions.

**SUMANTA KHAN
VINEET BHARTI AND
VASANT NATARAJAN***

Department of Physics,
Indian Institute of Science,
Bangalore
*vasant@physics.iisc.ernet.in

Received: 00/00/2017

References :

- [1] E. Arimondo. Coherent population trapping in laser spectroscopy. In E. Wolf, editor, *Progress in Optics*, volume 35, pages 257–354. Elsevier Science, Amsterdam, 1996.
- [2] S. Khan, M. P. Kumar, V. Bharti, and V. Natarajan. Coherent population trapping (CPT) versus electromagnetically induced transparency (EIT). *Eur. Phys. J. D*, 71:38, 2017.
- [3] S. Brandt, A. Nagel, R. Wynands, and D. Meschede. Buffer-gas-induced linewidth reduction of coherent dark resonances to below 50 Hz. *Phys. Rev. A*, 56:R1063–R1066, 1997.
- [4] A. Lezama, S. Barreiro, and A. M. Akulshin. Electromagnetically induced absorption. *Phys. Rev. A*, 59:4732–4735, 1999.
- [5] A. Lezama, S. Barreiro, A. Lipsich, and A. M. Akulshin. Coherent two-field spectroscopy of degenerate two-level systems. *Phys. Rev. A*, 61:013801, 1999.
- [6] C. Goren, A. D. Wilson-Gordon, M. Rosenbluh, and H. Friedmann. Atomic four-level n systems. *Phys. Rev. A*, 69:053818, 2004.
- [7] L.B. Kong, X.H. Tu, J. Wang, Y. Zhu, and M.S. Zhan. Sub-doppler spectral resolution in a resonantly driven four-level coherent medium. *Opt. Commun.*, 269:362 – 369, 2007.
- [8] M. G. Bason, A. K. Mohapatra, K. J. Weatherill, and C. S. Adams. Narrow absorptive resonances in a four-level atomic system. *J. Phys. B*, 42:075503, 2009.
- [9] S. R. Chanu, K. Pandey, and V. Natarajan. Conversion between electromagnetically induced transparency and absorption in a three-level lambda system. *Europhys. Lett.*, 98:44009, 2012.
- [10] V. Bharti, A. Wasan, and V. Natarajan. Wavelength mismatch effect in electromagnetically induced absorption. *Phys. Lett. A*, 380:2390 – 2394, 2016.
- [11] L. Muanzuala, H. Ravi, K. Sylvan, and V. Natarajan. Measuring the linewidth of a stabilized diode laser. *Curr. Sci. India*, 109:765, 2015.
- [12] <http://rochesterscientific.com/adm/>.